



Support Members Who Had an Emergency Department Visit for Behavioral Health

Use this HEDIS® tip sheet to review key details of the behavioral health FUM and FUA measures described below. It also includes best practices and resources for these measures.

Hospital emergency department (ED) visits have been growing rapidly, with the rate of increase exceeding that for hospital inpatient care. The national rate of ED visits in the United States, between 2007 and 2016, was about 8.4 million (8.3%) mental health and substance abuse diagnoses for 100.9 million ED visits. Over the 10-year study period, the mental health diagnoses increased from 6.6% to 10.9%. Visits for alcohol and other substance use and psychiatric diagnoses classified as other accounted for an increase, nearly doubling from 27.2% to 42.8% in 2015-2016.¹

Research suggests that follow-up care for people with mental illness is linked to fewer repeat ED visits, improved physical and mental function and increased compliance with follow-up instructions.² Alcohol and other drug abuse or dependence can have serious, irreversible effects on health and well-being. Several studies demonstrate that substance abuse treatment during or after an ED visit can help reduce substance use, future ED use, hospital admissions and bed days.



Measures

Follow-Up after an Emergency Department Visit for Mental Illness (FUM) The percentage of ED visits for members ages 6 and older with a principal diagnosis of mental illness or intentional self-harm, who had a follow-up visit for mental illness within seven days of the ED visit (eight total days) or within 30 days of the ED visit (31 total days).

Follow-Up after an Emergency Department Visit for Substance Use Disorder (FUA)

The percentage of ED visits for members ages 13 and older with a principal diagnosis of substance use disorder or any diagnosis of drug overdose, who had a follow-up visit within seven days of the ED visit (eight total days) or follow-up within 30 days of the ED visit (31 total days).

Multiple visits in a 31-day period

- If a member has more than one ED visit in a 31-day period, include only the first eligible ED visit.
- Identify visits chronologically, including only one per 31-day period. For example, if a member has an ED visit on January 1, include the January 1 visit and do not include ED visits that occur on or between January 2 and January 31.
- If applicable, include the next ED visit that occurs on or after February 1.
- Removal of multiple visits in a 31-day period is based on eligible visits. Assess each ED visit for exclusions before removing multiple visits in a 31-day period.

Exclusions

- Exclude ED visits that result in an inpatient stay and ED visits followed by an admission to an acute or nonacute inpatient care setting on the date of the ED visit or within the 30 days after the ED visit (31 total days), regardless of the principal diagnosis for the admission.
- Exclude these events from the measure because admission to an acute or nonacute inpatient setting may prevent an outpatient follow-up visit from taking place.

Eligible population

- An ED visit (ED Value Set) with a principal diagnosis of mental illness or intentional self-harm (FUM), or substance use or any diagnosis of drug overdose (FUA).
- For FUM, the ED visit must be on or between January 1 and December 1 of the measurement year where the member was age 6 or older on the date of the visit.
- For FUA, the ED visit must be on or between January 1 and December 1 of the measurement year where the member was age 13 or older on the date of the visit.

Recommended actions

- Telehealth, phone visits, e-visits or virtual check-ins with a principal diagnosis of a mental health (FUM) or any diagnosis or substance use disorder (FUA) support follow-up requirements. The follow-up visit can take place on the day of the ED visit.
- Assign staff or individuals to implement follow-up care procedures to obtain and document proper permissions from the patient. Plus, document the best way to contact the patient.
- If possible, when discharging members, provide an overview of what the member should expect in the next few days and weeks
- If visits cannot take place on the day of the ED visit, consider contacting the member within 24 to 48 hours via phone to assess the member's health status, medications, needed appointments, and what to do if a health or medical problem arises.
- When documenting the follow-up visit, document the follow-up visit either with a principal diagnosis of a mental health disorder, intentional self-harm (FUM), or any diagnosis of substance use or any diagnosis of drug overdose (FUA).
- Consider a prompt referral to a behavioral health provider to start treatment within seven days of diagnosis.
 - CalViva Health behavioral health administers behavioral health services to Plan members.
- You may also refer to Case Management for more help. Refer to the Provider Operations Manual for more details at providerlibrary.healthnetcalifornia.com.



Primary care physician referrals to behavioral health

Providers can partner with the member to call Health Net's customer service or inform members to call Health Net, on behalf of CalViva Health, directly. When referring members to Health Net, ensure that the member has signed consent forms that allow information to be disclosed to the designated behavioral health specialist. Give a signed copy of the document(s) to the member or the parental/legal guardian.

Bright Heart Health, a telehealth partner for Health Net, offers programs for substance use, addiction, eating disorders and help to manage pain. For more information call 800-892-2695 or visit www.brighthearthealth.com.



How to contact the Plan's behavioral health group

24/7 telephonic support: 844-966-0298. Press '*' for mental health crisis.

Coding Tips

Identify the eligible population

CPT Copyright 2019 American Medical Association. All rights reserved. CPT® is a registered trademark of the American Medical Association.

Visit type or diagnosis	СРТ	HCPCS	POS
ED visit	99281,99282, 99283, 99284, 99285	0450, 0451, 0452, 0456, 0459, 0981	

Exclude admissions to an acute or nonacute inpatient care setting, by identifying nonacute inpatient stays: UBREV 0100,0101, 0110, 0111, 0112, 0113, 0114, 0116, 0117, 0118, 0119, 0120, 0121, 0122, 0123, 0124, 0126, 0127, 0128, 0129, 0130, 0131, 0132, 0133, 0134, 0136, 0137, 0138, 0139, 0140, 0141, 0142, 0143, 0144, 0146, 0147, 0148, 0149, 0150, 0151, 0152, 0153, 0154, 0156, 0157, 0158, 0159, 0160, 0164, 0167, 0169, 0170, 0171, 0172, 0173, 0174, 0179, 0190, 0191, 0192, 0193, 0194, 0199, 0200, 0201, 0202, 0203, 0204, 0206, 0207, 0208, 0209, 0210, 0211, 0212, 0213, 0214, 0219, 1000, 1001, 1002

Principal diagnoses codes

Refer to the Diagnostic and Statistical Manual of Mental Disorders (DSM-5) at www.psychiatry.org/psychiatrists/practice/dsm for diagnosis codes for:

- · Substance use disorder.
- Intentional self-harm.
- · Mental illness.

FUM Coding Tips

Any visit type must be paired with a principal diagnosis of mental health or intentional self-harm.

Visit type	СРТ	HCPCS	POS
Outpatient visit (visit setting	90791, 90792, 90832, 90833, 90834,	N/A	03, 05, 07, 09, 11, 12,
unspecified)	90836, 90837, 90838, 90839, 90840,		13, 14, 15, 16, 17, 18,
	90845, 90847, 90849, 90853, 90875,		19, 20, 22, 33, 49,
	90876, 99221, 99222, 99223, 99231,		50, 71, 72
	99232, 99233, 99238, 99239, 99251,		
	99252, 99253, 99254, 99255		
Behavioral health outpatient	98960, 98961, 98962, 99078, 99201,	G0155, G0176, G0177, G0409,	N/A
visit (BH outpatient)	99202, 99203, 99204, 99205, 99211,	G0463, H0002, H0004, H0031,	
	99212, 99213, 99214, 99215, 99241,	H0034, H0036, H0037, H0039,	
	99242, 99243, 99244, 99245, 99341,	H0040, H2000, H2010, H2011,	
	99342, 99343, 99344, 99345, 99347,	H2013, H2014, H2015, H2016,	
	99348, 99349, 99350, 99381, 99382,	H2017, H2018, H2019, H2020,	
	99383, 99384, 99385, 99386, 99387,	T1015	
	99391, 99392, 99393, 99394, 99395,		
	99396, 99397, 99401, 99402, 99403,		
	99404, 99411, 99412, 99483, 99510;		
An observation visit	99217-99220	N/A	N/A
(observation value set)			
Phone visit	98966-98968; 99441-99443	N/A	N/A

Visit type	СРТ	HCPCS	POS
Telehealth visit (visit setting unspecified) with telehealth POS	90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99251, 99252, 99253, 99254, 99255	N/A	02
E-visit or virtual check in (online assessment value set)	98969-98972, 99421-99444, 99457	G0071, G2010, G2012, G2061, G2062, G2063	N/A

FUA Coding Tips

Any visit type must be paired with a principal diagnosis of substance use disorder, or any diagnosis of drug overdose.

Visit type	СРТ	HCPCS	POS
Outpatient visit (outpatient	90791, 90792, 90832, 90833, 90834,	N/A	03, 05, 07, 09, 11, 12,
visits with a mental health	90836, 90837, 90838, 90839, 90840,		13, 14, 15, 16, 17, 18,
provider do not require the	90845, 90847, 90849, 90853, 90875,		19, 20, 22, 33, 49,
principal diagnosis of	90876, 99221, 99222, 99223, 99231,		50, 71, 72
substance use disorder to be	99232, 99233, 99238, 99239, 99251,		
paired with the visit).	99252, 99253, 99254, 99255		
Behavioral health (BH)	98960, 98961, 98962, 99078, 99201,	G0155, G0176, G0177, G0409,	N/A
outpatient visit (a BH	99202, 99203, 99204, 99205, 99211,	G0463, G0512, H0002, H0004,	
outpatient visit with a mental	99212, 99213, 99214, 99215, 99241,	H0031, H0034, H0036, H0037,	
health provider does not	99242, 99243, 99244, 99245, 99341,	H0039, H0040, H2000, H2010,	
require the principal diagnosis	99342, 99343, 99344, 99345, 99347,	H2011, H2013, H2014, H2015,	
of substance use disorder to be	99348, 99349, 99350, 99381, 99382,	H2016, H2017, H2018, H2019,	
paired with the visit).	99383, 99384, 99385, 99386, 99387,	H2020, T1015	
	99391, 99392, 99393, 99394, 99395,		
	99396, 99397, 99401, 99402, 99403,		
	99404, 99411, 99412, 99483, 99492,		
	99493, 99494, 99510		
Non-residential substance	90791, 90792, 90832, 90833, 90834,	N/A	57, 58
abuse treatment facility (a visit	90836, 90837, 90838, 90839, 90840,		
with a mental health provider	90845, 90847, 90849, 90853, 90875,		
does not require the principal	90876, 99221, 99222, 99223, 99231,		
diagnosis of substance use	99232, 99233, 99238, 99239, 99251,		
disorder to be paired with the visit).	99252, 99253, 99254, 99255		

Visit type	СРТ	HCPCS	POS
Community mental health center visit (a visit with a mental health provider does not require the principal diagnosis of substance use disorder to be paired with the visit).	90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99251, 99252, 99253, 99254, 99255	N/A	53
An observation visit (an observation visit with a mental health provider does not require the principal diagnosis of substance use disorder to be paired with the visit).	99217-99220	N/A	N/A
Peer support service.	N/A	G0177, H0024, H0025, H0038, H0039, H0040, H0046, H2014, H2023, S9445, T1012, T1016	N/A
Telehealth (telehealth visits with a mental health provider do not require the principal diagnosis of substance use disorder to be paired with the visit).	90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99251, 99252, 99253, 99254, 99255	N/A	02
Phone visit (phone visits with a mental health provider do not require the principal diagnosis of substance use disorder to be paired with the visit).	98966-98968; 99441-99443	N/A	N/A
E-visit or virtual check in (online assessment value set).	98969-98972, 99421-99444, 99457	G0071, G2010, G2012, G2061, G2062, G2063	N/A
Substance use disorder service.	99408, 99409	G0396, G0397, G0443, H0001, H0005, H0007, H0015, H0016, H0022, H0047, H0050, H2035, H2036, T1006, T1012	N/A
Substance use service.		H0006, H0028	N/A
Behavioral health screening or assessment for SUD or mental health disorders.	99408, 99409	G0396, G0397, G0442, G2011, H0001, H0002, H0031, H0049	N/A

Visit type	СРТ	HCPCS	POS
Pharmacotherapy dispensing event: Alcohol or other drug medication treatment.	N/A	H0020, H0033, J0570, J0571, J0572, J0573, J0574, J0575, J2315, Q9991, Q9992, S0109	N/A
Pharmacotherapy dispensing event: opioid use disorder weekly drug treatment service.	N/A	G2067, G2068, G2069, G2070, G2072, G2073	N/A
Weekly or monthly opioid treatment service (opioid treatment service that bills monthly or weekly).	N/A	G2086, G2087, G2067, G2068, G2069, G2070, G2072, G2073, G2071, G2074, G2075, G2076, G2077, G2080	N/A

¹ https://pubmed.ncbi.nlm.nih.gov/32726001/

CalViva Health is a licensed health plan in California that provides services to Medi-Cal enrollees in Fresno, Kings and Madera counties. CalViva Health contracts with Health Net Community Solutions, Inc. to provide and arrange for network services. *Health Net Community Solutions, Inc. is a subsidiary of Health Net, LLC and Centene Corporation. Health Net is a registered service mark of Health Net, LLC. All other identified trademarks/service marks remain the property of their respective companies. All rights reserved.

² Bruffaerts, R., Sabbe, M., Demyffenaere, K. (2005). Predicting Community Tenure in Patients with Recurrent Utilization of a Psychiatric Emergency Service. General Hospital Psychiatry, 27, 269-74. 2.4. Griswold, K.S., Zayas, L.E., Pastore, P.A., Smith, S.J., Wagner, C.M., Servoss, T.J. (2018) Primary Care After Psychiatric Crisis: A Qualitative Analysis. Annals of Family Medicine, 6(1), 38-43. doi:10.1370/afm.760. 3.5. Kyriacou, D.N., Handel, D., Stein, A.C., Nelson, R.R. (2005). Brief Report: Factors Affecting Outpatient Follow-up Compliance of Emergency Department Patients. Journal of General Internal Medicine, 20(10), 938-942. doi:10.1111/j.1525-1497.2005.0216_1.x.