

Clinical Policy: Step Therapy

Reference Number: CP.CPA.83 Effective Date: 09.01.18 Last Review Date: 12.23 Line of Business: Commercial*

Revision Log

See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information.

Description

This policy provides a list of drugs that require step therapy.

*This step therapy policy does not apply to drugs that are not on the Commercial formulary. For non-formulary drugs, refer to the formulary exception policy, CP.CPA.190 Formulary Exceptions.

FDA Approved Indication(s)

Various

Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of health plans affiliated with Centene Corporation[®] that the following drugs are **medically necessary** when the following criteria are met:

I. Initial Approval Criteria

A. Step Therapy:

Drugs listed in the table below may be approved for 12 months or duration of request, whichever is less, for members who have had a previous trial of or who have contraindications to required step-through agents, when the request does not exceed the maximum indicated dose and stated quantity limit.

Drug Name	Required Step-Through Agents	Maximum Dose (Quantity Limit)
aliskiren/HCTZ (Tekturna HCT [®])	Generic or preferred ARB (e.g., olmesartan, olmesartan/hctz, irbesartan, losartan, candesartan, telmisartan, valsartan)	Tekturna HCT: 300/25 mg/day
Aplenzin [®] (bupropion hydrobromide SR)	Two generic antidepressants	348 mg/day (1 tablet/day)
Astagraf XL [®] (tacrolimus SR)	Generic tacrolimus	0.2 mg/kg/day
Aptiom [®] (eslicarbazepine)	Carbamazepine or oxcarbazepine	1,600 mg daily (2 tablets/day)

CENTENE[®] Corporation

CLINICAL POLICY Step Therapy

Drug Name	Required Step-Through	Maximum Dose
	Agents	(Quantity Limit)
Bepreve [®] (bepotastine)	Generic ophthalmic olopatadine, and either azelastine or epinastine	2 drops/eye/day (0.34 mL/day)
calcipotriene-betamethasone ointment (Taclonex [®])	Generic topical steroid and either topical calcitriol or calcipotriene cream	100 g/week (2 g/day)
calcipotriene-betamethasone	Generic clobetasol and	100 g/week (2 g/day)
suspension (Taclonex [®])	fluocinolone	
Celecoxib (Celebrex®)* *Applies to Oregon Commercial ONLY; for California Commercial refer to CP.PMN.122	 One of the following (a, b, c, or d), unless member is > 65 years old, has prior gastrointestinal bleed, or active peptic ulcer disease (not gastroesophageal reflux disease [GERD]): a) Meloxicam; b) Generic NSAID; c) Current use of a corticosteroid; d) Current use of an anticoagulant or antiplatelet (e.g., aspirin, warfarin, low molecular weight heparin, direct thrombin inhibitors, factor Xa inhibitors, clopidogrel). 	800 mg /day (2 capsules)
Cordran [®] (flurandrenolide lotion 0.05%, ointment 0.05%)	Generic topical corticosteroid alternatives	3 applications topically per day
desoximetasone spray 0.25% (Topicort [®])	Generic desoximetasone 0.25% ointment or cream	Not applicable
doxycycline monohydrate	Doxycycline Hyclate	Not applicable
ethacrynic acid (Edecrin [®])	Generic bumetanide, furosemide, or torsemide	400 mg/day
Fetzima [®] (levomilnacipran)	Two generic antidepressants	120 mg/day (20 mg: 2 tablets/day; Other strengths:1 tablet/day)
Forfivo XL [®] (bupropion hydrochloride ER)	Two generic antidepressants	450 mg/day (1 tablet/day)
Lastacaft [®] (alcaftadine ophthalmic solution 0.25%)	Both of the following (a and b): a) Patanol or Pataday	(1 drop/eye/day) 1 bottle/month

CENTENE[®] Corporation

CLINICAL POLICY Step Therapy

Drug Name	Required Step-Through Agents	Maximum Dose (Quantity Limit)
	b) Azelastine or Epinastine	
modafinil (Provigil®)	armodafinil (Nuvigil®)	200 mg/day for shift work disorder; 400 mg for all other indications
olmesartan/amlodipine (Azor [™]), olmesartan/amlodipine/HCTZ (Tribenzor [™])	Generic or formulary preferred ARB or ARB combination product (e.g., olmesartan, olmesartan/hctz, irbesartan, losartan, candesartan, telmisartan, valsartan)	Azor: 10/40 mg/day Tribenzor: 40/10/25 mg/day
olopatadine HCl ophthalmic solution 0.7%	Generic ophthalmic olopatadine, and either azelastine or epinastine	1 bottle/month
Oxtellar XR [®] (oxcarbazepine SR 150 mg, 300 mg, 600 mg)	Generic Trileptal	2,400 mg/day
Retin-A Micro [®] (tretinoin microsphere gel)	Generic tretinoin product	Once daily application
risedronate (Atelvia [®])	One of the following generic bisphosphonates: ibandronate, alendronate, or risedronate	35 mg: 1 tablet/week
Trintellix [®] (vortioxetine)	Two generic antidepressants	20 mg/day (1 tablet/day)
Ubrelvy [™] (ubrogepant)* *Ubrelvy should not be prescribed concurrently with other CGRP inhibitors (e.g., Aimovig [™] , Ajovy [™] , Emgality [™] , Nurtec [®] ODT, Qulipta [™] , Vyepti [™])	Two 5HT _{1B/1D} -agonist migraine medications (e.g., sumatriptan, rizatriptan, zolmitriptan)	Varies
Xhance [®] (fluticasone propionate)* * Applies to California Commercial formularies only. For Oregon formularies, refer to CP.PMN.95.	One formulary intranasal steroid (e.g., fluticasone propionate, mometasone, budesonide)	Varies
zileuton ER (Zyflo [®] CR)	Generic montelukast	2,400 mg/day
Zyflo [®] (zileuton)	Generic montelukast	2,400 mg/day

Agents are listed as Brand name[®] (generic) when the drug is available by brand name only and generic (Brand name[®]) when the drug is available by both brand and generic.

Approval duration: 12 months or duration of request, whichever is less



II. Continued Therapy

- A. Step Therapy (must meet all):
 - 1. Member meets one of the following (a or b):
 - a. Currently receiving medication via Centene benefit or member has previously met initial approval criteria;
 - b. Member is currently receiving medication and is enrolled in a state and product with continuity of care regulations (*refer to state specific addendums for CC.PHARM.03A and CC.PHARM.03B*);
 - 2. If request is for a dose increase, new dose does not exceed the FDA-approved maximum recommended dose and quantity limit as stated in the initial approval criteria for the relevant drug.

Approval duration: 12 months or duration of request, whichever is less

III. Appendices/General Information

Appendix A: Abbreviation/Acronym Key	
ARB angiotensin receptor blocker	IR: immediate-release
CR: controlled-release	NSAID: non-steroidal anti-inflammatory
ER: extended-release	drug
FDA: Food and Drug Administration	SR: sustained-release
HCTZ: hydrochlorothiazide	XL: extended-release

Appendix B: Therapeutic Alternatives Refer to the required step-through drugs above in Section I.

Appendix C: Contraindications/Boxed Warnings

Refer to the package inserts for each of the drugs requiring step therapy.

IV. Dosage and Administration

Refer to the step therapy table in Section I.

V. Product Availability

Drug Name	Availability
alcaftadine (Lastacaft)	Ophthalmic solution: 0.25%
aliskiren/HCTZ (Tekturna	Tablets: 150/12.5, 150/25, 300/12.5, 300/25 mg
HCT)	
bepotastine (Bepreve)	Ophthalmic solutions, 1.5%: 5 mL, 10 mL
bupropion hydrobromide ER	Tablets, extended release: 174 mg, 348 mg, 522 mg
(Aplenzin)	
bupropion hydrochloride ER	Tablets, extended release: 450 mg
(Forfivo XL)	
calcipotriene-betamethasone	Topical ointments, 0.005%/0.064%: 60 g, 100 g
(Taclonex)	Topical suspensions, 0.005%/0.064%: 60 g, 100 g
celecoxib (Celebrex)	Capsules: 50 mg, 100 mg, 200 mg, and 400 mg
Cordran (flurandrenolide	Lotion 0.05%: 120 mL
lotion, ointment)	Ointment 0.05%: 60 g
desoximetasone (Topicort)	Topical spray, solution, 0.25%: 100 mL



Drug Name	Availability	
doxycycline monohydrate	Capsules, tablets: 50 mg, 75 mg, 100 mg, 150 mg	
ethacrynic acid (Edecrin)	Tablet: 25 mg	
levomilnacipran (Fetzima)	Capsules, extended release: 20 mg, 40 mg, 80 mg, 120 mg	
revolutinacipian (Petzinia)	Capsules, extended release therapy pack: 20 mg/40 mg	
modafinil (Provigil)	Tablets: 100 mg, 200 mg	
olmesartan/amlodipine (Azor)	Tablets: 5/20, 10/20, 5/40, 10/40 mg	
olmesartan/amlodipine/HCTZ	Tablets: 20/5/12.5, 40/5/12.5, 40/5/25, 40/10/12.5,	
(Tribenzor)	40/10/25 mg	
Retin-A Micro (tretinoin	Gel (20 g, 45 g tube): 0.1%, 0.04%	
microsphere gel)	Gel (50 g pump): 0.06%, 0.08%	
risedronate (Atelvial)	Tablets35 mg	
tacrolimus SR (Astagraf XL)	Capsules, extended release: 0.5 mg, 1 mg, 5 mg	
Ubrelvy (ubrogepant)	Tablets (package size 10, 16, 30): 50 mg, 100 mg	
vortioxetine (Trintellix)	Tablets: 5 mg, 10 mg, 20 mg	
Xhance (fluticasone	Nasal spray: 93 mcg of fluticasone propionate in each	
propionate)	106-mg spray with 120 metered sprays per device	
zileuton (Zyflo)	Tablet: 600 mg	
zileuton SR (Zyflo CR)	Tablet, extended release: 600 mg	

VI. References

1. Clinical Pharmacology [database online]. Elsevier, Inc.; 2023. Available at: https://www.clinicalkey.com/pharmacology/. Accessed February 2, 2023.

Reviews, Revisions, and Approvals	Date	P&T Approval Date
Changes align with previously approved clinical guidance: added Delstrigo to policy requiring step through Symfi if member is treatment naïve per SDC.	02.01.19	
2Q 2019 annual review: added Provigil to policy requiring step through Nuvigil; references reviewed and updated.	03.05.19	05.19
Azor and Tribenzor added to policy requiring step through generic or formulary preferred ARB or ARB combination product; retire CP.CPA.61; added Tekturna and Takturna HCT to policy requiring step through ARB or ARB combination product; retire CP.CPA.07.	05.06.19	08.19
Seebri Neohaler and Tudorza Pressair added to policy requiring use of preferred Spiriva or Incruse Ellipta per SDC and prior clinical guidance; retire CP.CPA.150. Added disclaimer statement that policy does not apply to NF drugs.	10.07.19	
2Q 2020 annual review: no significant changes.	03.05.20	05.20
Added Cimduo requiring use of Truvada for treatment naïve members per April SDC and prior clinical guidance.	04.27.20	
Removed Tudorza Pressair and Seebri Neohaler per October SDC and prior clinical guidance.	10.07.20	



Reviews, Revisions, and Approvals	Date	P&T Approval
		Date
Removed Atripla per November SDC and prior clinical guidance	11.16.20	
2Q 2021 annual review: added the following: Lastacraft requiring	02.24.21	05.21
step through Patanol or Pataday and either azelastine or epinastine;		
olopatadine ophthalmic solution 0.7% requiring step through		
generic ophthalmic olopatadine, and either azelastine or epinastine;		
Oxtellar requiring step through Trileptal; added desoximetasone		
spray requiring step through generic desoximetasone ointment and		
cream; references reviewed and updated.		
Per June SDC and prior clinical guidance, removed Symtuza,	06.02.21	08.21
Complera, Delstrigo, and Odefsey from policy.		
Revised approval duration for Commercial line of business from	09.27.21	02.22
length of benefit to 12 months or duration of request, whichever is		
less		
2Q 2022 annual review: added the following to align with	02.23.22	05.22
formulary and clinical pharmacy messaging: Androderm, Cordran,		
doxycycline monohydrate, fluoxetine, Retin-A Micro; references		
reviewed and updated.		
Per August SDC and prior clinical guidance, added Ubrelvy	09.26.22	11.22
requiring step through two 5HT _{1B/1D} -agonist migraine medications		
(e.g., sumatriptan, rizatriptan, zolmitriptan); removed Viibryd from		
policy. Per September SDC removed Androderm from policy.		
2Q 2023 annual review: removed fluoxetine, Envarsus XR,	02.02.23	05.23
desvenlafaxine, Tekturna, and Cimduo as EST is not required; for		
risedronate referenced brand name Atelvia as Actonel does not		
require step therapy, deleted dosing other than 35 mg strength;		
template changes applied to continued therapy; references reviewed		
and updated.		
Per SDC, added Xhance to policy requiring one intranasal steroid;	05.04.23	
added clarification that this applies to California Commercial		
formularies only, for Oregon formularies, refer to CP.PMN.95.		
Per May SDC, added celecoxib to policy requiring step through	05.24.23	08.23
meloxicam or generic NSAID or current use of corticosteroid or		
anticoagulant. For Cordran, corrected max dosing per label.		
For Ubrelvy, added clarification that Ubrelvy should not be	08.28.23	
prescribed concurrently with other CGRP inhibitors.		
For Celebrex added clarification that step therapy criteria applies to	09.18.23	
Oregon Commercial only, for California Commercial refer to		
CP.PMN.122.		
Per September SDC and prior clinical guidance, added Aptiom to	09.21.23	12.23
policy requiring step through carbamazepine or oxcarbazepine.		

CLINICAL POLICY Step Therapy



Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. "Health Plan" means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.



©2018 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene[®] and Centene Corporation.